Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1104	(joystick or pointing adj stick) and (elastic plate) and (manipulat\$3 post) and (gap hole perforation notch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:46
S2	137	S1 and 345/156,161.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:25
S3	96	S2 and (@ad<="20030120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:46
S4	1	(pointing adj device) and (elastic adj plate) and resistant with (connect\$3 adj lands) and (perforration notch hole) with pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:19
S5	40	S1 and 463/36-38.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:51
S6	35	S5 and (@ad<="20030120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:12
S7	18	S1 and 341/20-21.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:19

			· · · · · · · · · · · · · · · · · · ·			
S8	1	pointing and (elastic adj plate) with (connect\$3 adj lands) and (perforration notch hole) with pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:21
S9	0	ponting and (elastic adj plate) with (connect\$3 adj lands) and (perforration notch hole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:22
S10	1	pointing and (elastic adj plate) with (connect\$3 adj lands) and (perforration notch hole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:22
S11	7	pointing and (elastic adj plate) with connect\$3 and (perforration notch hole)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:32
S12	0	pointing and (elastic adj plate) and (perforration notch hole) and (terminal adj electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:33
S13	1	pointing and (elastic adj plate) and (perforration notch hole) and electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:34
S14	792	(joystick or pointing adj stick) and (elastic plate) and (manipulat\$3 post) and (gap hole perforation notch) and base	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:35

S15	0	S14 and (strain adj resistant) and electorde	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:43
S16	80	S14 and resistant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:44
S17	46	S16 and (@ad<="20030120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:45
S18	19	(joystick or video game) with (elastic plate) with (manipulat\$3 post) with (gap hole perforation notch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:48
S19	4	(joystick or pointing adj stick) with (elastic plate) with (manipulat\$3 post) with (gap hole perforation notch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 15:50
S20	14	(joystick or pointing adj stick) same (elastic plate) same (manipulat\$3 post) same (gap hole perforation notch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 07:07
S21	230	(pointing adj device) and elastic and pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 07:08

S22	140	S21 and (@ad<="20030120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 08:00
S23	3	(("4540463") or ("5754167") or ("6108613")).PN.	USPAT	OR	OFF	2006/09/15 08:44
S24	1	("20020158841").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/15 08:44